

HD MINI PIPE CAMERA

# **OPERATING INSTRUCTION**



Read these instructions completely before operating the device PLEASE CHARGE BATTERY FIRST BEFORE USE!

#### **RECORD Setting**

VIDEO CLIP TIME	30 MINUTE	
FRAME RATE	1 MINUTE	
VIDEO QUALITY	10 MINUTE	
COMPRESS	IS MINUTE	
PHOTO QUALITY	60 MINUTE HIGH	
RECORD MODE	MANUAL	
OVERWRITE	OFF	3

Л	DEO SETTING		
	VIDEO CLIP TIME	30 MINUTE	ан -
	FRAME RATE	NTSC30FPS/PAL25FPS	
	VIDEO QUALITY	LEVEL 3	
	COMPRESS	LEVEL S	
	PHOTO QUALITY		
	RECORD MODE	LEVEL 2 LEVEL 1	12.1
	OVERWRITE	OFF	-

Video clip time:1 MINUTE / 5 MINUTE / 10 MINUTE 15 MINUTE / 30 MINUTE / 60 MINUTE Default value: 30 MINUTE

#### FRAME RATE:NTSC 30FPS / PAL 25FPS

Video Quality: It has 5 options. Usually we choose Level 3. The level is bigger, the video resolution is higher Compress:H265 Photo Quality: High / Middle / Low Default Value : High

Record Mode: Manual / Auto Default Value : Manual Overwrite:OFF/ON



For date format, it has 3 options IMAGE SETTING





Adjust the LCD screen brightess,Contrast Default resolution:1280x720\_60 Usually we suggest the customers don't change these value

# Specification

-					
Monitor					
Screen size	8inch LCD	8inch LCD IPS screen			
Display Ratio	16:9	16:9			
Resolution	1280x720	1280x720			
Menu	Chinese E	Chinese English and others			
Sunshade function	Yes	Yes			
HD DVR					
	video	H.264 encode, MP4 format			
Support playback file format	Audio	audio and video			
	Picture	JPEG			
Audio input	External N	External Microphone			
Video input	AHD analo	AHD analog high-definition signal(support)			
Signal input	Video coi	Video connector			
Video system	HD PAL、	HD PAL、HD NTSC			
Video Output	Composite	Composite video signal output			
Power support					
External charge	DC12V (In Output vol	DC12V (Input voltage AC 100V~240V, Output voltage DC:12V, Current 2000mA)			
Battery	12V 680	12V 6800mA/H			
Complete system power	20W (Ma	<b>x</b> )			
Battery charge time	4-5 hours	4-5 hours			
Battery work time	6-6 hours	6-6 hours			

Camera head					
Camera Diameter	Dia. Ф 20mm × 160mm				
Lighting	9pcs high light LED				
Camera Sensor	Magnesium light 9V139 (ASX340)				
Operatingtemperature	-10°C~60°C				
Camerahousing material	304#Stainless steel				
Waterproof	IP68				
Cable wheel					
Fiberglass rod push cable Ø6.0mm					
Cable length: 0 meters					
Other function					
Meter counter	Feet and Meter switch. Display on the screen				
Built in 512hz transmitter	Optional				

#### Attention

1) Please read the user manual carefully

2) Using the original charger to charge the battery to support the device to work.3) Damage to the fiber optic cable must be avoided when installing or removing the camera, as it could rub against edges such as the end of a pipe or shaft or drain inlet.

4.) The system must be cleaned after each use before the end of work.

1) LANGUAGE: Setting the menu language.

The box has 9 languages.(English,Chinese,French, Espanol German,Polish,Korea,Russian and Italian.

2)DISK: Format the USB flash driver.



### The default value is "DISK1". 3) **RESET:** Restore the factory default Settings

# 4) TIME SETTING: Setting the time,date



Press UP/Down/Left/Right arrows to set the date and time. Press"Save "to save the setting Press the " ( ) and " V arrows to select files

Press the "

Press"  $\bigcirc$  " button to play the file,

" button to delete the file.

2. PHOTO: Playback the picture file

3. **SYSTEM**:Setting language,date,time ...

4. **IMAGE:** Image setting, such as CVBS out, HDMI

Resolution, brightness, chroma, contrast, noise reduction

5. **RECORD**: Video setting, such as video clip time, frame rate, compress, photo quality, record model,overwrite.

# System Setting



# **Know Your Device**

What does it include?



#### Camera head



- 1. White light (9 pieces)
- 2. Lens
- 3. Spring joint
- 4. Connector
- 5. Stainless steel camera housing

#### Camera skids

2pcs/set (Diameter 30mm and Diameter 50mm )



#### How to install camera skid



# **DVR** menu instructions

Press menu button to enter the main menu



1. Video: Playback the video file

		Manufacture and a second second	
00001	20210620_172044.mp4	Video 3.6M	
00002	20210620_172036.mp4	Video 2.4M	
00003	20210620_172023.mp4	Video 3.4M	

- 2) .press " button to choose "OK", start recording video.
- " button to stop recording. 4) .Press "

3.Record the audio: Insert the external micrphone to MIC port. Press down the MIC button. When it is recording the video, you can record the audio at the same time.

4.Take pictures: control box " ( to take picture (No matter whether it is recording or not)

5.Press MENU button to enter the main menu ,and choose "VIDEO" to play the video.

6.Press MENU button to enter the main menu ,and choose "PICTURE" to scan the pictures.

#### How to replace a new cable reel





(1-2)





(1-3)

(1-4)



How to remove the control box from the cable reel

6



Lay the device on a flat place

(1-7)



Squeeze these two buttons

(1-8)

# DVR video recording & photography function instructions

#### **Operating instruction**

1.Insert the USB disk to USB port.

2. Record the video:

1) Press " i button to start, the file name can be modified when it appears on the screen



3) Press "  $\bigcirc_{OK}$ " button, the keyboard appears on the screen. We can type English characters and change the file name. Press"  $\bigcirc_{OK}$  "button to choose the characters. Choose "ESC", press "  $\bigcirc_{OK}$  "button to exit the keyboard function.

Esa	0	1	2	3	4	5	6	7	8	9
4-	а	b	с	d	e	f	9	h	i.	j
sp	k	1	m	n	0	р	q	r	s	ŧ
Aa	u	v	w	×	У	z	sp	Aa	10	<-

No	Name	Function	How to use			
1	POWER	On/Off	Press the button for 3 seconds to turn on /off the control box			
2	KEYBOARD	Connect wireless /wired keyboard	Insert 2.4G wireless keyboard adaptor			
3	USB	Connect USB disk	Insert external USB disk to record and save the video& picture files. Please don't remove the USB flash disk when it is recording.			
4	AUDIO	Earphone/Microphone	Insert the 3.5mm earphone			
5	Meter counter buttons	RST: Reset to zero F/M:Swith feet/meter				
6	CONTROL PANEL	DVR MENU	Details reference picture(2-1)			
7	MONITOR	Display the image	8inch HD screen ,1280x720 resolution			
8	DC IN	Charge for the battery	charge adaptor 12V 2A			
9	LED DIMMER	Adjust the camera LED brightness	Adjust 20mm、23mm camera LED brightness			
10	BATTERY	power supply	Details reference picture(2-2)			



(1-9)

The control box is separately from the reel

(1-10)

#### How to charge the battery

- 1) Insert 12V/2A charge adaptor to charge port "A"
- 2) Charge adaptor indicator light is red, the battery is charing
- 3) Charge adaptor indicator light is green, the battery is charged full
- 4) The battery can be disassembled and charged separately

(Details reference picture(2-3))



### **DVR Control Unit**



(2-1)